



# 1103 Series 重型 C型系列

- 高負載且旋轉靈活，普遍適用於一般工廠搬運，另可附防纏絲及防塵蓋，屬得駐專利產品，可以有效防止腳輪因灰塵或纏絲而無法轉動，提高腳輪使用壽命。
- Swivel easily under heavy load, for workshop carts. Patented thread guards prevent swivel failure caused by build-up of strings between the wheel and fork legs, as well as the dust in the wheel bearing.


載重 Load  
200-500kg



## ▶▶ 特色區 Features



BCD煞(中煞)  
Swivel W/Center  
Lock Brake



K煞  
Swivel W/Center  
Lock(K type)



輪子可附防纏絲蓋  
Thread guard specially  
for textile industry



輪子可附防塵蓋  
Thread guard

## ▶▶ 輪子選項 Wheel Options

鐵芯聚氨酯  
PU on Cast



CPD輪  
CPD



WMRC輪  
WMRC



QPU輪  
QPU



三星輪  
Rubber on Cast



尼龍輪  
Nylon



銑輪  
Cast Iron



EPU輪  
EPU



滾珠軸承  
Ball Bearing



▶▶ 底板規格 TOP PLATE SIZE AND BOLT HOLE SPACING

腳輪尺寸 Caster Size	底板尺寸 Top Plate Size	底板孔距 Bolt Hole Spacing	安裝尼帽尺寸 Attaching Bolt Size
4"C型架 4"Caster	100 x 115 mm (3-15/16"x 4-1/2")	75 x 75 mm (3"x 3")	10 mm (3/8")
5"C型架 5"Caster	100 x 115 mm (3-15/16"x 4-1/2")	75 x 75 mm (3"x 3")	10 mm (3/8")
6"C型架 6"Caster	125 x 125 mm (4-15/16"x 4-15/16")	105 x 105 mm (4-1/8"x 4-1/8")	10 mm (3/8")
8"C型架 8"Caster	125 x 125 mm (4-15/16"x 4-15/16")	105 x 105 mm (4-1/8"x 4-1/8")	10 mm (3/8")
10",12"C型架 10",12"Caster	160 x 160 mm (6-5/16"x 6-5/16")	130 x 130 mm (5-1/8"x 5-1/8")	M12

 輪徑×輪寬 Diameter×Width	 載重 Load	 材質 Material	 型號 Item No.			 軸承 Bearing	 總高 Overall Height	 迴旋半徑 Swivel radius
			固定 Fixed	活動 Swivel	剎車 Brake			
100mm x 34mm (4" x 1-3/8")	250 kgs (550 lbs)	QPU輪 QPU	1103-04-80-1	1103-04-80-2	1103-04-80-4	滾珠 Ball Bearing	145mm (5-11/16")	活動 75mm K煞 75mm BCD煞 105mm  Swivel 75mm Swivel W/Center lock(K type) 75mm Swivel W/Center lock 105mm
100mm x 38mm (4" x 1-1/2")	200 kgs (440 lbs)	鐵芯聚氨酯 PU on Cast	1103-04-33-1	1103-04-33-2	1103-04-33-4			
	200 kgs (440 lbs)	三星輪 Rubber on Cast	1103-04-03-1	1103-04-03-2	1103-04-03-4			
	200 kgs (440 lbs)	CPD輪 CPD	1103-04-49-1	1103-04-49-2	1103-04-49-4			
	250 kgs (550 lbs)	尼龍輪 Nylon	1103-04-07-1	1103-04-07-2	1103-04-07-4			
	250 kgs (550 lbs)	銑輪 Cast Iron	1103-04-14-1	1103-04-14-2	1103-04-14-4			
125mm x 40mm (5" x 1-9/16")	300 kgs (660 lbs)	QPU輪 QPU	1103-05-80-1	1103-05-80-2	1103-05-80-4	滾珠 Ball Bearing	168.5mm (6-5/8")	活動 91mm K煞 91mm BCD煞 106mm  Swivel 91mm Swivel W/Center lock(K type) 91mm Swivel W/Center lock 106mm
	300 kgs (660 lbs)	EPU輪 EPU	1103-05-78-1	1103-05-78-2	1103-05-78-4			
125mm x 42mm (5" x 1-5/8")	250 kgs (550 lbs)	鐵芯聚氨酯 PU on Cast	1103-05-33-1	1103-05-33-2	1103-05-33-4			
	220 kgs (485 lbs)	三星輪 Rubber on Cast	1103-05-03-1	1103-05-03-2	1103-05-03-4			
	250 kgs (550 lbs)	CPD輪 CPD	1103-05-49-1	1103-05-49-2	1103-05-49-4			
	300 kgs (660 lbs)	尼龍輪 Nylon	1103-05-07-1	1103-05-07-2	1103-05-07-4			
	300 kgs (660 lbs)	銑輪 Cast Iron	1103-05-14-1	1103-05-14-2	1103-05-14-4			
150mm x 42mm (6" x 1-5/8")	350 kgs (770 lbs)	QPU輪 QPU	1103-06-80-1	1103-06-80-2	1103-06-80-4	滾珠 Ball Bearing	197mm (7-3/4")	活動 106mm K煞 106mm BCD煞 166mm  Swivel 106mm Swivel W/Center lock(K type) 106mm Swivel W/Center lock 166mm
	350 kgs (770 lbs)	EPU輪 EPU	1103-06-78-1	1103-06-78-2	1103-06-78-4			
150mm x 48mm (6" x 1-7/8")	300 kgs (660 lbs)	鐵芯聚氨酯 PU on Cast	1103-06-33-1	1103-06-33-2	1103-06-33-4	滾珠 Ball Bearing	197mm (7-3/4")	活動 106mm K煞 106mm BCD煞 166mm  Swivel 106mm Swivel W/Center lock(K type) 106mm Swivel W/Center lock 166mm
	260 kgs (570 lbs)	三星輪 Rubber on Cast	1103-06-03-1	1103-06-03-2	1103-06-03-4			
	300 kgs (660 lbs)	CPD輪 CPD	1103-06-49-1	1103-06-49-2	1103-06-49-4			
	350 kgs (770 lbs)	尼龍輪 Nylon	1103-06-07-1	1103-06-07-2	1103-06-07-4			
	350 kgs (770 lbs)	銑輪 Cast Iron	1103-06-14-1	1103-06-14-2	1103-06-14-4			
	350 kgs (770 lbs)	WMRC輪 WMRC	1103-06-45-1	1103-06-45-2	1103-06-45-4			



 輪徑*輪寬 Diameter*Width	 載重 Load	 材質 Material	 型號 Item No.			 軸承 Bearing	 總高 Overall Height	 迴旋半徑 Swivel radius			
			固定 Fixed	活動 Swivel	剎車 Brake						
200mm x 45mm (8" x 1-6/8")	400 kgs (880 lbs)	QPU輪 QPU	1103-08-80-1	1103-08-80-2	1103-08-80-4	滾珠 Ball Bearing	244mm (9-5/8")	活動 147mm K煞 147mm BCD煞 168mm  Swivel 147mm Swivel W/Center lock(K type) 147mm Swivel W/Center lock 168mm			
200mm x 48mm (8" x 1-7/8")	350 kgs (770 lbs)	鐵芯聚氨酯 PU on Cast	1103-08-33-1	1103-08-33-2	1103-08-33-4						
	300 kgs (660 lbs)	三星輪 Rubber on Cast	1103-08-03-1	1103-08-03-2	1103-08-03-4						
	350 kgs (770 lbs)	CPD輪 CPD	1103-08-49-1	1103-08-49-2	1103-08-49-4						
	400 kgs (880 lbs)	尼龍輪 Nylon	1103-08-07-1	1103-08-07-2	1103-08-07-4						
	400 kgs (880 lbs)	銑輪 Cast Iron	1103-08-14-1	1103-08-14-2	1103-08-14-4						
200mm x 50mm (8" x 2")	400 kgs (880 lbs)	QPU輪 QPU	1103-08-80-1	1103-08-80-2	1103-08-80-4						
	400 kgs (880 lbs)	EPU輪 EPU	1103-08-78-1	1103-08-78-2	1103-08-78-4						
254mm x 50mm (10" x 2")	450 kgs (990 lbs)	尼龍輪 Nylon	1103-10-07-1	1103-10-07-2	—				滾珠 Ball Bearing	320mm (12-5/8")	活動 181mm Swivel 181mm
254mm x 62mm (10" x 2-7/16")	450 kgs (990 lbs)	鐵芯聚氨酯 PU on Cast	1103-10-33-1	1103-10-33-2	—						
	450 kgs (990 lbs)	QPU輪 QPU	1103-10-80-1	1103-10-80-2	—						
300mm x 70mm (12" x 2-3/4")	500 kgs (1100 lbs)	鐵芯聚氨酯 PU on Cast	1103-12-33-1	1103-12-33-2	—	滾珠 Ball Bearing	350mm (13-3/4")	活動 221mm Swivel 221mm			