



# 1124 Series 重型 DF型系列

- 高負載且旋轉靈活，普遍適用於一般工廠搬運，另可附防塵蓋，屬得勝專利產品，可以有效防止腳輪因灰塵或纏絲而無法轉動，提高腳輪使用壽命。
- Swivel easily under heavy load, for workshop carts. Patented thread guards prevent swivel failure caused by build-up of strings between the wheel and fork legs, as well as the dust in the wheel bearing.

載重 Load  
140-400 kg



## ▶▶ 特色區 Features



側剎  
Side Lock Brake



中剎  
Center Lock Brake



輪子可附防塵蓋  
Thread guard



PU輪面可以變化硬度  
Different PU tread hardness available

## ▶▶ 輪子選項 Wheel Options

鐵芯NBR橡膠輪  
NBR Rubber on Cast



鐵芯聚氨酯  
PU on Cast



三星輪  
Rubber on Cast



環保NBR橡膠輪  
Non-marking Rubber on Cast



W全效輪  
W Resolute



WCPD輪  
WCPD



QPU輪  
QPU



滾珠軸承  
Ball Bearing



尼龍輪  
Nylon



銑輪  
Cast Iron



CPD輪  
CPD



風硬全效輪  
Resolute



WMRC輪  
WMRC



EPU輪  
EPU



EQPU輪  
EQPU



鋁芯AQPU  
QPU on AL Core








## ▶▶ 底板規格 TOP PLATE SIZE AND BOLT HOLE SPACING

編號 Suffix	底板尺寸 Top Plate Size	底板孔距 Bolt Hole Spacing	安裝尼帽尺寸 Attaching Bolt Size
1	100 x 115 mm (4"x 4-1/2")	75 x 80 mm (2-5/8"~3"x3-5/8")	9.5 mm (3/8")
2	115 x 159 mm (4-1/2"x 6-1/4")	75 x 130 mm (2-7/16"~3-3/8" x4-15/16"~5-1/4")	12.7 mm (1/2")



輪徑×輪寬 Diameter×Width	載重 Load	材質 Material	型號 Item No.			軸承 Bearing	總高 Overall Height	迴旋半徑 Swivel radius
			固定 Fixed	活動 Swivel	剎車 Brake			
93mm x 28mm (3-21/32" x 1-3/32")	175 kgs(385 lbs)	銑輪 Cast Iron	1124-04-14-1	1124-04-14-2	—	滾珠 Ball Bearing	138.5mm	活動 71.5mm Swivel 71.5mm
100mm x 32mm (4" x 1-1/4")	200 kgs(440 lbs)	尼龍輪 Nylon	1124-04-07-1	1124-04-07-2	1124-04-07-4	滾珠 Ball Bearing	142mm (5-5/8")	活動 75mm 側煞 75mm 中煞 115mm Swivel 75mm Swivel W/Side Brake 75mm Swivel W/Center lock 115mm
	150 kgs(330 lbs)	CPD輪 CPD	1124-04-49-1	1124-04-49-2	1124-04-49-4			
100mm x 34mm (4" x 1-1/3")	200 kgs(440 lbs)	鐵芯聚氨酯 PU on Cast	1124-04-33-1	1124-04-33-2	1124-04-33-4			
	300 kgs(660 lbs)	QPU輪 QPU	1124-04-80-1	1124-04-80-2	1124-04-80-4			
	150 kgs(330 lbs)	鐵芯NBR橡膠輪 NBR Rubber on Cast	1124-04-04-1	1124-04-04-2	1124-04-04-4			
	150 kgs(330 lbs)	環保NBR橡膠輪 Non-marking Rubber on Cast	1124-04-11-1	1124-04-11-2	1124-04-11-4			
100mm x 35mm (4" x 1-1/8")	150 kgs(330 lbs)	三星輪 Rubber on Cast	1124-04-03-1	1124-04-03-2	1124-04-03-4			
100mm x 36mm (4" x 1-7/16")	325 kgs(715 lbs)	鋁芯AQP(圓弧) QPU on AL Core (Round)	1124-04-87-1	1124-04-87-2	1124-04-87-4			
100mm x 37.5mm (4" x 1-1/2")	140 kgs(308 lbs)	W全效輪 W Resolute	1124-04-64-1	1124-04-64-2	1124-04-64-4			
100mm x 40mm (4" x 1-9/16")	350 kgs(770 lbs)	鋁芯AQP(圓弧) QPU on AL Core (Round)	1124-04(40)-87-1	1124-04(40)-87-2	1124-04(40)-87-4			
122mm x 36mm (4-13/16" x 1-7/16")	250 kgs(550 lbs)	銑輪 Cast Iron	1124-05-14-1	1124-05-14-2	—	滾珠 Ball Bearing	165.5mm	活動 91.5mm Swivel 91.5mm
125mm x 37.5mm (5" x 1-1/2")	250 kgs(550 lbs)	W全效輪 W Resolute	1124-05-64-1	1124-05-64-2	1124-05-64-4	滾珠 Ball Bearing	167mm (6-1/2")	活動 93mm 側煞 93mm 中煞 112mm Swivel 93mm Swivel W/Side Brake 93mm Swivel W/Center lock 112mm
125mm x 40mm (5" x 1-9/16")	250 kgs(550 lbs)	鐵芯聚氨酯 PU on Cast	1124-05-33-1	1124-05-33-2	1124-05-33-4			
	350 kgs(770 lbs)	QPU輪 QPU	1124-05-80-1	1124-05-80-2	1124-05-80-4			
	350 kgs(770 lbs)	鋁芯AQP(圓弧) QPU on AL Core (Round)	1124-05-87-1	1124-05-87-2	1124-05-87-4			
	250 kgs(550 lbs)	EPU輪 EPU	1124-05-78-1	1124-05-78-2	1124-05-78-4			
	300 kgs(660 lbs)	EQPU輪 EQPU	1124-05-81-1	1124-05-81-2	1124-05-81-4			
	200 kgs(440 lbs)	三星輪 Rubber on Cast	1124-05-03-1	1124-05-03-2	1124-05-03-4			
	200 kgs(440 lbs)	鐵芯NBR橡膠輪 NBR Rubber on Cast	1124-05-04-1	1124-05-04-2	1124-05-04-4			
	200 kgs(440 lbs)	環保NBR橡膠輪 Non-marking Rubber on Cast	1124-05-11-1	1124-05-11-2	1124-05-11-4			
125mm x 41mm (5" x 1-5/8")	250 kgs(550 lbs)	尼龍輪 Nylon	1124-05-07-1	1124-05-07-2	1124-05-07-4			
	200 kgs(440 lbs)	CPD輪 CPD	1124-05-49-1	1124-05-49-2	1124-05-49-4			
138mm x 42mm (5-7/16" x 1-5/8")	300 kgs(660 lbs)	銑輪 Cast Iron	1124-06-14-1	1124-06-14-2	—	滾珠 Ball Bearing	184mm	活動 104mm Swivel 104mm
150mm x 37.5mm (6" x 1-1/2")	180 kgs(396 lbs)	W全效輪 W Resolute	1124-06-64-1	1124-06-64-2	1124-06-64-4	滾珠 Ball Bearing	190mm (7-1/2")	活動 110mm 側煞 110mm 中煞 160mm Swivel 110mm Swivel W/Side Brake 110mm Swivel W/Center lock 160mm
150mm x 40mm (6" x 1-9/16")	250 kgs(550 lbs)	鐵芯NBR橡膠輪 NBR Rubber on Cast	1124-06-04-1	1124-06-04-2	1124-06-04-4			
	250 kgs(550 lbs)	環保NBR橡膠輪 Non-marking Rubber on Cast	1124-06-11-1	1124-06-11-2	1124-06-11-4			
	350 kgs(770 lbs)	尼龍輪 Nylon	1124-06-07-1	1124-06-07-2	1124-06-07-4			
	250 kgs(550 lbs)	CPD輪 CPD	1124-06-49-1	1124-06-49-2	1124-06-49-4			
	350 kgs(770 lbs)	WMRC輪 WMRC	1124-06-45-1	1124-06-45-2	1124-06-45-4			
	250 kgs(550 lbs)	WCPD輪 WCPD	1124-06-79-1	1124-06-79-2	1124-06-79-4			



 輪徑×輪寬 Diameter×Width	 載重 Load	 材質 Material	 型號 Item No.			 軸承 Bearing	 總高 Overall Height	 迴旋半徑 Swivel radius
			固定 Fixed	活動 Swivel	剎車 Brake			
150mm x 42mm (6" x 1-5/8")	350 kgs(770 lbs)	鐵芯聚氨酯 PU on Cast	1124-06-33-1	1124-06-33-2	1124-06-33-4	滾珠 Ball Bearing	190mm (7-1/2")	活動 110mm 側煞 110mm 中煞 160mm Swivel W/Side Brake 110mm Swivel W/Center lock 160mm
	400 kgs(880 lbs)	QPU輪 QPU	1124-06-80-1	1124-06-80-2	1124-06-80-4			
	350 kgs(770 lbs)	EPU輪 EPU	1124-06-78-1	1124-06-78-2	1124-06-78-4			
	400 kgs(880 lbs)	EQPU輪 EQPU	1124-06-81-1	1124-06-81-2	1124-06-81-4			
	400 kgs(880 lbs)	鋁芯AQPU(圓弧) QPU on AL Core (Round)	1124-06-87-1	1124-06-87-2	1124-06-87-4			
150mm x 45.5mm (6" x 1-13/16")	220 kgs(485 lbs)	三星輪 Rubber on Cast	1124-06-03-1	1124-06-03-2	1124-06-03-4			
200mm x 44mm (8" x 1-3/4")	300 kgs(660 lbs)	鐵芯NBR橡膠輪 NBR Rubber on Cast	1124-08-04-1	1124-08-04-2	1124-08-04-4	滾珠 Ball Bearing	240mm (9-1/2")	活動 145mm 側煞 145mm 中煞 162.5mm Swivel 145mm Swivel W/Side Brake 145mm Swivel W/Center lock 162.5mm
	300 kgs(660 lbs)	環保NBR橡膠輪 Non-marking Rubber on Cast	1124-08-11-1	1124-08-11-2	1124-08-11-4			
200mm x 45mm (8" x 1-13/16")	350 kgs(770 lbs)	鑄輪 Cast Iron	1124-08-14-1	1124-08-14-2	1124-08-14-4			
200mm x 50mm (8" x 2")	400 kgs(880 lbs)	鐵芯聚氨酯 PU on Cast	1124-08-33-1	1124-08-33-2	1124-08-33-4			
	400 kgs(880 lbs)	QPU輪 QPU	1124-08-80-1	1124-08-80-2	1124-08-80-4			
	400 kgs(880 lbs)	EPU輪 EPU	1124-08-78-1	1124-08-78-2	1124-08-78-4			
	400 kgs(880 lbs)	EQPU輪 EQPU	1124-08-81-1	1124-08-81-2	1124-08-81-4			
	260 kgs(570 lbs)	三星輪 Rubber on Cast	1124-08-03-1	1124-08-03-2	1124-08-03-4			
	300 kgs(660 lbs)	鐵芯NBR橡膠輪 NBR Rubber on Cast	1124-08-04-1	1124-08-04-2	1124-08-04-4			
	300 kgs(660 lbs)	環保NBR橡膠輪 Non-marking Rubber on Cast	1124-08-11-1	1124-08-11-2	1124-08-11-4			
	400 kgs(880 lbs)	尼龍輪 Nylon	1124-08-07-1	1124-08-07-2	1124-08-07-4			
	300 kgs(660 lbs)	CPD輪 CPD	1124-08-49-1	1124-08-49-2	1124-08-49-4			
	180 kgs(396 lbs)	風硬全效輪 Resolute	1124-08-53-1	1124-08-53-2	1124-08-53-4			
	400 kgs(880 lbs)	WMRC輪 WMRC	1124-08-45-1	1124-08-45-2	1124-08-45-4			
	300 kgs(660 lbs)	WCPD輪 WCPD	1124-08-79-1	1124-08-79-2	1124-08-79-4			
400 kgs(880 lbs)	鋁芯AQPU(圓弧) QPU on AL Core (Round)	1124-08-87-1	1124-08-87-2	1124-08-87-4				
400 kgs(880 lbs)	鋁芯AQPU(平面) QPU on AL Core (Flat)	1124-08-87-1	1124-08-87-2	1124-08-87-4				