



1112 Series 重型 长珠系列

载重 Load
120-450 kg

- 高负载且旋转灵活，普遍适用于一般工厂搬运，另可附防尘盖，属得胜专利产品，可以有效防止脚轮因灰尘或缠丝而无法转动，提高脚轮使用寿命。
- Swivel easily under heavy load, good for workshop carts. Patented thread guards and dust covers prevent swivel failure caused by build-up of strings between the wheel and fork legs, as well as the dust in the wheel bearing.




特色区 Features



轮子选项 Wheel Options

高科技耐磨聚氨酯(圆弧形) PU on PP Core(Round Shape) 铁芯NBR橡胶轮 NBR Rubber on Cast 铁芯聚氨酯 PU on Cast 超级人造胶(圆弧形) TPR on PP Core(Round Shape) 超级人造胶(平面) TPR on PP Core(Flat Shape)



底板规格 TOP PLATE SIZE AND BOLT HOLE SPACING

| 编号 Suffix | 底板尺寸 Top Plate Size | 底板孔距 Bolt Hole Spacing | 安装尼帽尺寸 Attaching Bolt Size |
|-----------|-------------------------------|--|----------------------------|
| 1 | 100 x 115 mm (4"x 4-1/2") | 75 x 80 mm (2-5/8"~3"x3~3-5/8") | 9.5 mm (3/8") |
| 2 | 115 x 159 mm (4-1/2"x 6-1/4") | 75 x 130mm (2-7/16"~3-3/8" x4-15/16"~5-1/4") | 12.7 mm (1/2") |



» 丝扣规格 THREADED STEM SPECIFICATION

| | |
|-------------|-------------------------|
| 编号 Suffix | 丝扣牙径 X 长度 Threaded Size |
| 4" 5" 6" 8" | M24 x 150mm |

| 轮径×轮宽 Diameter×Width | 载重 Load | 材质 Material | 型号 Item No. | | | 轴承 Bearing | 总高 Overall Height | 回旋半径 Swivel radius | |
|-------------------------|-------------------------|---|--|--------------|--------------|--|----------------------|---|--------------|
| | | | 固定 Fixed | 活动 Swivel | 刹车 Brake | | | | |
| 100mm×50mm (4" × 2") | 270 kgs (600 lbs) | 高科技耐磨聚氨酯(圆弧形) PU on PP Core(Round Shape) | 1112-04-43-1 | 1112-04-43-2 | 1112-04-43-4 | 滚珠 Ball Bearing | 142mm (5-5/8") | 活动 74.5mm 侧刹 78.5mm AK刹 136.5mm Swivel 74.5mm Swivel W/Side Brake 78.5mm AK Total Lock Brake 136.5mm | |
| | 200 kgs (440 lbs) | 铁芯聚氨酯(圆弧形) PU on Cast (Round Shape) | 1112-04-42-1 | 1112-04-42-2 | 1112-04-42-4 | | | | |
| | 150 kgs (325 lbs) | 铁芯NBR橡胶轮 NBR Rubber on Cast | 1112-04-04-1 | 1112-04-04-2 | 1112-04-04-4 | | | | |
| | 270 kgs (600 lbs) | 铁芯聚氨酯 PU on Cast | 1112-04-33-1 | 1112-04-33-2 | 1112-04-33-4 | 滚针 Roller Bearing | | | |
| | 360 kgs (800 lbs) | 电木轮 Phenolic | 1112-04-25-1 | 1112-04-25-2 | 1112-04-25-4 | | | | |
| | 270 kgs (600 lbs) | 高科技耐磨聚氨酯 PU on PP Core | 1112-04-31-1 | 1112-04-31-2 | 1112-04-31-4 | | | | |
| | 360 kgs (800 lbs) | SS铁轮 Cast Iron | 1112-04-21-1 | 1112-04-21-2 | 1112-04-21-4 | | | | |
| | 360 kgs (800 lbs) | VG轮 V Groove | 1112-04-28-1 | 1112-04-28-2 | 1112-04-28-4 | | | | |
| | 120 kgs (265 lbs) | 超级人造胶(圆弧形) TPR on PP Core (Round Shape) | 1112-04-26-1 | 1112-04-26-2 | 1112-04-26-4 | | | | |
| | 150 kgs (330 lbs) | 超级人造胶(平面) TPR on PP Core (Flat Shape) | 1112-04-52-1 | 1112-04-52-2 | 1112-04-52-4 | 滚针 Roller Bearing 精密长珠轴承 Annular ball bearing | | | |
| | 150 kgs (330 lbs) | W超级人造胶 WPPR | 1112-04-47-1 | 1112-04-47-2 | 1112-04-47-4 | | | | |
| | 181 kgs (400 lbs) | W全效轮 W Resolute | 1112-04-48-1 | 1112-04-48-2 | 1112-04-48-4 | | | | |
| | 181 kgs (400 lbs) | 全效轮(平面) Resolute(Flat Shape) | 1112-04-51-1 | 1112-04-51-2 | 1112-04-51-4 | | | | |
| | 136 kgs (300 lbs) | 全效轮(圆弧形) Resolute(Round Shape) | 1112-04-44-1 | 1112-04-44-2 | 1112-04-44-4 | | | | |
| | 228 kgs (500 lbs) | HDR轮(圆弧形) HD Resolute Wheel(Round Shape) | 1112-04-54-1 | 1112-04-54-2 | 1112-04-54-4 | | | | |
| | 270 kgs (600 lbs) | WHDR轮 WHDR | 1112-04-55-1 | 1112-04-55-2 | 1112-04-55-4 | 滚珠 Ball Bearing | | | |
| | 125mm×50mm (5" × 2") | 340 kgs (750 lbs) | 高科技耐磨聚氨酯(圆弧形) PU on PP Core (Round Shape) | 1112-05-43-1 | 1112-05-43-2 | | | | 1112-05-43-4 |
| | | 230 kgs (500 lbs) | 铁芯聚氨酯(圆弧形) PU on Cast (Round Shape) | 1112-05-42-1 | 1112-05-42-2 | | | | 1112-05-42-4 |
| 340 kgs (750 lbs) | | SPU轮 CPU on PP core | 1112-05-63-1 | 1112-05-63-2 | 1112-05-63-4 | | | | |
| 360 kgs (790 lbs) | | EPU轮 EPU | 1112-05-78-1 | 1112-05-78-2 | 1112-05-78-4 | | | | |
| 450 kgs (990 lbs) | | EQPU轮 EQPU | 1112-05-81-1 | 1112-05-81-2 | 1112-05-81-4 | | | | |
| 200 kgs (440 lbs) | | 铁芯NBR橡胶轮 NBR Rubber on Cast | 1112-05-04-1 | 1112-05-04-2 | 1112-05-04-4 | | | | |
| 360 kgs (790 lbs) | | 铁芯聚氨酯 PU on Cast | 1112-05-33-1 | 1112-05-33-2 | 1112-05-33-4 | | | | |
| 400 kgs (880 lbs) | | 电木轮 Phenolic | 1112-05-25-1 | 1112-05-25-2 | 1112-05-25-4 | | | | |
| 340 kgs (750 lbs) | | 高科技耐磨聚氨酯 PU on PP Core | 1112-05-31-1 | 1112-05-31-2 | 1112-05-31-4 | | | | |
| 400 kgs (880 lbs) | | SS铁轮 Cast Iron | 1112-05-21-1 | 1112-05-21-2 | 1112-05-21-4 | | | | |
| 400 kgs (880 lbs) | | VG轮 V Groove | 1112-05-28-1 | 1112-05-28-2 | 1112-05-28-4 | | | | |
| 140 kgs (300 lbs) | | 超级人造胶(圆弧形) TPR on PP Core (Round Shape) | 1112-05-26-1 | 1112-05-26-2 | 1112-05-26-4 | | | | |
| 180 kgs (396 lbs) | | 超级人造胶(平面) TPR on PP Core (Flat Shape) | 1112-05-52-1 | 1112-05-52-2 | 1112-05-52-4 | | | | |
| 180 kgs (396 lbs) | | W超级人造胶 WPPR | 1112-05-47-1 | 1112-05-47-2 | 1112-05-47-4 | | | | |
| 227 kgs (500 lbs) | | W全效轮 W Resolute | 1112-05-48-1 | 1112-05-48-2 | 1112-05-48-4 | | | | |
| 227 kgs (500 lbs) | | 全效轮(平面) Resolute(Flat Shape) | 1112-05-51-1 | 1112-05-51-2 | 1112-05-51-4 | | | | |
| 170 kgs (375 lbs) | | 全效轮(圆弧形) Resolute(Round Shape) | 1112-05-44-1 | 1112-05-44-2 | 1112-05-44-4 | | | | |
| 261 kgs (575 lbs) | | HDR轮(圆弧形) HD Resolute Wheel(Round Shape) | 1112-05-54-1 | 1112-05-54-2 | 1112-05-54-4 | | | | |
| 340 kgs (750 lbs) | WHDR轮 WHDR | 1112-05-55-1 | 1112-05-55-2 | 1112-05-55-4 | | | | | |



| 轮径*轮宽 Diameter*Width | 载重 Load | 材质 Material | 型号 Item No. | | | 轴承 Bearing | 总高 Overall Height | 回旋半径 Swivel radius |
|-------------------------|-------------------------|---|---|--------------|--------------|--|----------------------|---|
| | | | 固定 Fixed | 活动 Swivel | 刹车 Brake | | | |
| 150mm*50mm (6" x 2") | 410 kgs (900 lbs) | 高科技耐磨聚氨酯(圆弧形) PU on PP Core(Round Shape) | 1112-06-43-1 | 1112-06-43-2 | 1112-06-43-4 | 滚珠 Ball Bearing | 190mm (7-1/2") | 活动 111mm 侧刹 111mm AK刹 154mm Swivel 111mm Swivel W/Side Brake 111mm AK Total Lock Brake 154mm |
| | 260 kgs (570 lbs) | 铁芯聚氨酯(圆弧形) PU on Cast (Round Shape) | 1112-06-42-1 | 1112-06-42-2 | 1112-06-42-4 | | | |
| | 410 kgs (900 lbs) | SPU轮 CPU on PP core | 1112-06-63-1 | 1112-06-63-2 | 1112-06-63-4 | | | |
| | 450 kgs (990 lbs) | EPU轮 EPU | 1112-06-78-1 | 1112-06-78-2 | 1112-06-78-4 | | | |
| | 450 kgs (990 lbs) | EQPU轮 EQPU | 1112-06-81-1 | 1112-06-81-2 | 1112-06-81-4 | | | |
| | 250 kgs (550 lbs) | 铁芯NBR橡胶轮 NBR Rubber on Cast | 1112-06-04-1 | 1112-06-04-2 | 1112-06-04-4 | 滚针 Roller Bearing | | |
| | 410 kgs (900 lbs) | 铁芯聚氨酯 PU on Cast | 1112-06-33-1 | 1112-06-33-2 | 1112-06-33-4 | | | |
| | 420 kgs (925 lbs) | 电木轮 Phenolic | 1112-06-25-1 | 1112-06-25-2 | 1112-06-25-4 | | | |
| | 410 kgs (900 lbs) | 高科技耐磨聚氨酯 PU on PP Core | 1112-06-31-1 | 1112-06-31-2 | 1112-06-31-4 | | | |
| | 420 kgs (925 lbs) | SS铁轮 Cast iron | 1112-06-21-1 | 1112-06-21-2 | 1112-06-21-4 | | | |
| | 420 kgs (925 lbs) | VG轮 V Groove | 1112-06-28-1 | 1112-06-28-2 | 1112-06-28-4 | 滚针 Roller Bearing 精密长球轴承 Annular ball bearing | | |
| | 160 kgs (350 lbs) | 超级人造胶(圆弧形) TPR on PP Core(Round Shape) | 1112-06-26-1 | 1112-06-26-2 | 1112-06-26-4 | | | |
| | 210 kgs (462 lbs) | 超级人造胶(平面) TPR on PP Core(Flat Shape) | 1112-06-52-1 | 1112-06-52-2 | 1112-06-52-4 | | | |
| | 210 kgs (462 lbs) | W超级人造胶 WPPR | 1112-06-47-1 | 1112-06-47-2 | 1112-06-47-4 | | | |
| | 272 kgs (600 lbs) | W全效轮 W Resolute | 1112-06-48-1 | 1112-06-48-2 | 1112-06-48-4 | | | |
| | 272 kgs (600 lbs) | 全效轮(平面) Resolute(Flat Shape) | 1112-06-51-1 | 1112-06-51-2 | 1112-06-51-4 | | | |
| | 204 kgs (450 lbs) | 全效轮(圆弧形) Resolute(Round Shape) | 1112-06-44-1 | 1112-06-44-2 | 1112-06-44-4 | | | |
| | 295 kgs (650 lbs) | HDR轮(圆弧形) HD Resolute Wheel(Round Shape) | 1112-06-54-1 | 1112-06-54-2 | 1112-06-54-4 | | | |
| | 410 kgs (900 lbs) | WHDR轮 WHDR | 1112-06-55-1 | 1112-06-55-2 | 1112-06-55-4 | | | |
| | 200mm*50mm (8" x 2") | 420 kgs (925 lbs) | 高科技耐磨聚氨酯(圆弧形) PU on PP Core(Round Shape) | 1112-08-43-1 | 1112-08-43-2 | | | |
| 300 kgs (660 lbs) | | 铁芯聚氨酯(圆弧形) PU on Cast (Round Shape) | 1112-08-42-1 | 1112-08-42-2 | 1112-08-42-4 | | | |
| 420 kgs (925 lbs) | | SPU轮 CPU on PP core | 1112-08-63-1 | 1112-08-63-2 | 1112-08-63-4 | | | |
| 450 kgs (990 lbs) | | EPU轮 EPU | 1112-08-78-1 | 1112-08-78-2 | 1112-08-78-4 | | | |
| 450 kgs (990 lbs) | | EQPU轮 EQPU | 1112-08-81-1 | 1112-08-81-2 | 1112-08-81-4 | | | |
| 300 kgs (660 lbs) | | 铁芯NBR橡胶轮 NBR Rubber on Cast | 1112-08-04-1 | 1112-08-04-2 | 1112-08-04-4 | 滚针 Roller Bearing | | |
| 420 kgs (925 lbs) | | 铁芯聚氨酯 PU on Cast | 1112-08-33-1 | 1112-08-33-2 | 1112-08-33-4 | | | |
| 450 kgs (990 lbs) | | 电木轮 Phenolic | 1112-08-25-1 | 1112-08-25-2 | 1112-08-25-4 | | | |
| 420 kgs (925 lbs) | | 高科技耐磨聚氨酯 PU on PP Core | 1112-08-31-1 | 1112-08-31-2 | 1112-08-31-4 | | | |
| 450 kgs (990 lbs) | | SS铁轮 Cast Iron | 1112-08-21-1 | 1112-08-21-2 | 1112-08-21-4 | | | |
| 450 kgs (990 lbs) | | VG轮 V Groove | 1112-08-28-1 | 1112-08-28-2 | 1112-08-28-4 | 滚针 Roller Bearing 精密长球轴承 Annular ball bearing | | |
| 185 kgs (400 lbs) | | 超级人造胶(圆弧形) TPR on PP Core (Round Shape) | 1112-08-26-1 | 1112-08-26-2 | 1112-08-26-4 | | | |
| 230 kgs (506 lbs) | | 超级人造胶(平面) TPR on PP Core(Flat Shape) | 1112-08-52-1 | 1112-08-52-2 | 1112-08-52-4 | | | |
| 230 kgs (506 lbs) | | W超级人造胶 WPPR | 1112-08-47-1 | 1112-08-47-2 | 1112-08-47-4 | | | |
| 306 kgs (675 lbs) | | W全效轮 W Resolute | 1112-08-48-1 | 1112-08-48-2 | 1112-08-48-4 | | | |
| 306 kgs (675 lbs) | | 全效轮(平面) Resolute(Flat Shape) | 1112-08-51-1 | 1112-08-51-2 | 1112-08-51-4 | | | |
| 272 kgs (600 lbs) | | 全效轮(圆弧形) Resolute(Round Shape) | 1112-08-44-1 | 1112-08-44-2 | 1112-08-44-4 | | | |
| 318 kgs (700 lbs) | | HDR轮(圆弧形) HD Resolute Wheel(Round Shape) | 1112-08-54-1 | 1112-08-54-2 | 1112-08-54-4 | | | |
| 430 kgs (950 lbs) | | WHDR轮 WHDR | 1112-08-55-1 | 1112-08-55-2 | 1112-08-55-4 | | | |