



1124 Series 重型

DF型系列

1-1/2" Wide General Purposes Caster (American Style)

- 高负载且旋转灵活, 普遍适用于一般工厂搬运, 另可附防尘盖, 属得胜专利产品, 可以有效防止脚轮因灰尘或缠丝而无法转动, 提高脚轮使用寿命。
- Swivel easily under heavy load, for workshop carts. Patented thread guards prevent swivel failure caused by build-up of strings between the wheel and fork legs, as well as the dust in the wheel bearing.

载重 Load
140-400 kg



特色区 Features



侧刹
Side Lock Brake



中刹
Center Lock Brake



轮子可附防尘盖
Thread guard



PU轮面可以变化硬度
Different PU tread hardness available

轮子选项 Wheel Options

铁芯NBR橡胶轮
NBR Rubber on Cast



铁芯聚氨酯
PU on Cast



三星轮
Rubber on Cast



环保NBR橡胶轮
Non-marking Rubber on Cast



W全效轮
W Resolute



WCPD轮
WCPD



QPU轮
QPU



滚珠轴承
Ball Bearing



尼龙轮
Nylon



铁轮
Cast Iron



CPD轮
CPD



风硬全效轮
Resolute



WMRC轮
WMRC



EPU轮
EPU



EQPU轮
EQPU










铝芯AQPU
QPU on AL Core








底板规格 TOP PLATE SIZE AND BOLT HOLE SPACING

编号 Suffix	底板尺寸 Top Plate Size	底板孔距 Bolt Hole Spacing	安装尼帽尺寸 Attaching Bolt Size
1	100 x 115 mm (4"x 4-1/2")	75 x 80 mm (2-5/8"~3"x3-5/8")	9.5 mm (3/8")
2	115 x 159 mm (4-1/2"x 6-1/4")	75 x 130 mm (2-7/16"~3-3/8" x4-15/16"~5-1/4")	12.7 mm (1/2")



 轮径x轮宽 DiameterxWidth	 载重 Load	 材质 Material	 型号 Item No.			 轴承 Bearing	 总高 Overall Height	 回旋半径 Swivel radius
			固定 Fixed	活动 Swivel	刹车 Brake			
93mm x 28mm (3-21/32" x 1-3/32")	175 kgs(385 lbs)	铁轮 Cast Iron	1124-04-14-1	1124-04-14-2	—	滚珠 Ball Bearing	138.5mm	活动 71.5mm Swivel 71.5mm
100mm x 32mm (4" x 1-1/4")	200 kgs(440 lbs)	尼龙轮 Nylon	1124-04-07-1	1124-04-07-2	1124-04-07-4	滚珠 Ball Bearing	142mm (5-5/8")	活动 75mm 侧煞 75mm 中煞 115mm Swivel 75mm Swivel W/Side Brake 75mm Swivel W/Center lock 115mm
	150 kgs(330 lbs)	CPD轮 CPD	1124-04-49-1	1124-04-49-2	1124-04-49-4			
100mm x 34mm (4" x 1-1/3")	200 kgs(440 lbs)	铁芯聚氨酯 PU on Cast	1124-04-33-1	1124-04-33-2	1124-04-33-4			
	300 kgs(660 lbs)	QPU轮 QPU	1124-04-80-1	1124-04-80-2	1124-04-80-4			
	150 kgs(330 lbs)	铁芯NBR橡胶轮 NBR Rubber on Cast	1124-04-04-1	1124-04-04-2	1124-04-04-4			
	150 kgs(330 lbs)	环保NBR橡胶轮 Non-marking Rubber on Cast	1124-04-11-1	1124-04-11-2	1124-04-11-4			
100mm x 35mm (4" x 1-1/8")	150 kgs(330 lbs)	三星轮 Rubber on Cast	1124-04-03-1	1124-04-03-2	1124-04-03-4			
100mm x 36mm (4" x 1-7/16")	325 kgs(715 lbs)	铝芯AQPU(圆弧) QPU on AL Core (Round)	1124-04-87-1	1124-04-87-2	1124-04-87-4			
100mm x 37.5mm (4" x 1-1/2")	140 kgs(308 lbs)	W全效轮 W Resolute	1124-04-64-1	1124-04-64-2	1124-04-64-4			
100mm x 40mm (4" x 1-9/16")	350 kgs(770 lbs)	铝芯AQPU(圆弧) QPU on AL Core (Round)	1124-04(40)-87-1	1124-04(40)-87-2	1124-04(40)-87-4			
122mm x 36mm (4-13/16" x 1-7/16")	250 kgs(550 lbs)	铁轮 Cast Iron	1124-05-14-1	1124-05-14-2	—	滚珠 Ball Bearing	165.5mm	活动 91.5mm Swivel 91.5mm
125mm x 37.5mm (5" x 1-1/2")	250 kgs(550 lbs)	W全效轮 W Resolute	1124-05-64-1	1124-05-64-2	1124-05-64-4	滚珠 Ball Bearing	167mm (6-1/2")	活动 93mm 侧煞 93mm 中煞 112mm Swivel 93mm Swivel W/Side Brake 93mm Swivel W/Center lock 112mm
125mm x 40mm (5" x 1-9/16")	250 kgs(550 lbs)	铁芯聚氨酯 PU on Cast	1124-05-33-1	1124-05-33-2	1124-05-33-4			
	350 kgs(770 lbs)	QPU轮 QPU	1124-05-80-1	1124-05-80-2	1124-05-80-4			
	350 kgs(770 lbs)	铝芯AQPU(圆弧) QPU on AL Core (Round)	1124-05-87-1	1124-05-87-2	1124-05-87-4			
	250 kgs(550 lbs)	EPU轮 EPU	1124-05-78-1	1124-05-78-2	1124-05-78-4			
	300 kgs(660 lbs)	EQPU轮 EQPU	1124-05-81-1	1124-05-81-2	1124-05-81-4			
	200 kgs(440 lbs)	三星轮 Rubber on Cast	1124-05-03-1	1124-05-03-2	1124-05-03-4			
	200 kgs(440 lbs)	铁芯NBR橡胶轮 NBR Rubber on Cast	1124-05-04-1	1124-05-04-2	1124-05-04-4			
	200 kgs(440 lbs)	环保NBR橡胶轮 Non-marking Rubber on Cast	1124-05-11-1	1124-05-11-2	1124-05-11-4			
125mm x 41mm (5" x 1-5/8")	250 kgs(550 lbs)	尼龙轮 Nylon	1124-05-07-1	1124-05-07-2	1124-05-07-4			
	200 kgs(440 lbs)	CPD轮 CPD	1124-05-49-1	1124-05-49-2	1124-05-49-4			
138mm x 42mm (5-7/16" x 1-5/8")	300 kgs(660 lbs)	铁轮 Cast Iron	1124-06-14-1	1124-06-14-2	—	滚珠 Ball Bearing	184mm	活动 104mm Swivel 104mm
150mm x 37.5mm (6" x 1-1/2")	180 kgs(396 lbs)	W全效轮 W Resolute	1124-06-64-1	1124-06-64-2	1124-06-64-4	滚珠 Ball Bearing	190mm (7-1/2")	活动 110mm 侧煞 110mm 中煞 160mm Swivel 110mm Swivel W/Side Brake 110mm Swivel W/Center lock 160mm
150mm x 40mm (6" x 1-9/16")	250 kgs(550 lbs)	铁芯NBR橡胶轮 NBR Rubber on Cast	1124-06-04-1	1124-06-04-2	1124-06-04-4			
	250 kgs(550 lbs)	环保NBR橡胶轮 Non-marking Rubber on Cast	1124-06-11-1	1124-06-11-2	1124-06-11-4			
	350 kgs(770 lbs)	尼龙轮 Nylon	1124-06-07-1	1124-06-07-2	1124-06-07-4			
	250 kgs(550 lbs)	CPD轮 CPD	1124-06-49-1	1124-06-49-2	1124-06-49-4			
	350 kgs(770 lbs)	WMRC轮 WMRC	1124-06-45-1	1124-06-45-2	1124-06-45-4			
	250 kgs(550 lbs)	WCPD轮 WCPD	1124-06-79-1	1124-06-79-2	1124-06-79-4			



 轮径x轮宽 DiameterxWidth	 载重 Load	 材质 Material	 型号 Item No.			 轴承 Bearing	 总高 Overall Height	 回旋半径 Swivel radius
			固定 Fixed	活动 Swivel	刹车 Brake			
150mm x 42mm (6" x 1-5/8")	350 kgs(770 lbs)	铁芯聚氨酯 PU on Cast	1124-06-33-1	1124-06-33-2	1124-06-33-4	滚珠 Ball Bearing	190mm (7-1/2")	活动 110mm 侧煞 110mm 中煞 160mm Swivel W/Side Brake 110mm Swivel W/Center lock 160mm
	400 kgs(880 lbs)	QPU轮 QPU	1124-06-80-1	1124-06-80-2	1124-06-80-4			
	350 kgs(770 lbs)	EPU轮 EPU	1124-06-78-1	1124-06-78-2	1124-06-78-4			
	400 kgs(880 lbs)	EQPU轮 EQPU	1124-06-81-1	1124-06-81-2	1124-06-81-4			
	400 kgs(880 lbs)	铝芯AQP(圆弧) QPU on AL Core (Round)	1124-06-87-1	1124-06-87-2	1124-06-87-4			
150mm x 45.5mm (6" x 1-13/16")	220 kgs(485 lbs)	三星轮 Rubber on Cast	1124-06-03-1	1124-06-03-2	1124-06-03-4	滚珠 Ball Bearing	240mm (9-1/2")	活动 145mm 侧煞 145mm 中煞 162.5mm Swivel 145mm W/Side Brake 145mm Swivel W/Center lock 162.5mm
200mm x 44mm (8" x 1-3/4")	300 kgs(660 lbs)	铁芯NBR橡胶轮 NBR Rubber on Cast	1124-08-04-1	1124-08-04-2	1124-08-04-4			
	300 kgs(660 lbs)	环保NBR橡胶轮 Non-marking Rubber on Cast	1124-08-11-1	1124-08-11-2	1124-08-11-4			
200mm x 45mm (8" x 1-13/16")	350 kgs(770 lbs)	铁轮 Cast Iron	1124-08-14-1	1124-08-14-2	1124-08-14-4			
200mm x 50mm (8" x 2")	400 kgs(880 lbs)	铁芯聚氨酯 PU on Cast	1124-08-33-1	1124-08-33-2	1124-08-33-4			
	400 kgs(880 lbs)	QPU轮 QPU	1124-08-80-1	1124-08-80-2	1124-08-80-4			
	400 kgs(880 lbs)	EPU轮 EPU	1124-08-78-1	1124-08-78-2	1124-08-78-4			
	400 kgs(880 lbs)	EQPU轮 EQPU	1124-08-81-1	1124-08-81-2	1124-08-81-4			
	260 kgs(570 lbs)	三星轮 Rubber on Cast	1124-08-03-1	1124-08-03-2	1124-08-03-4			
	300 kgs(660 lbs)	铁芯NBR橡胶轮 NBR Rubber on Cast	1124-08-04-1	1124-08-04-2	1124-08-04-4			
	300 kgs(660 lbs)	环保NBR橡胶轮 Non-marking Rubber on Cast	1124-08-11-1	1124-08-11-2	1124-08-11-4			
	400 kgs(880 lbs)	尼龙轮 Nylon	1124-08-07-1	1124-08-07-2	1124-08-07-4			
	300 kgs(660 lbs)	CPD轮 CPD	1124-08-49-1	1124-08-49-2	1124-08-49-4			
	180 kgs(396 lbs)	风硬全效轮 Resolute	1124-08-53-1	1124-08-53-2	1124-08-53-4			
	400 kgs(880 lbs)	WMRC轮 WMRC	1124-08-45-1	1124-08-45-2	1124-08-45-4			
	300 kgs(660 lbs)	WCPD轮 WCPD	1124-08-79-1	1124-08-79-2	1124-08-79-4			
	400 kgs(880 lbs)	铝芯AQP(圆弧) QPU on AL Core (Round)	1124-08-87-1	1124-08-87-2	1124-08-87-4			
400 kgs(880 lbs)	铝芯AQP(平面) QPU on AL Core (Flat)	1124-08-87-1	1124-08-87-2	1124-08-87-4				