



1141 Series 重型 长珠抗冲击系列 Kingpinless(Single groove)

- 高负载且高抗冲击，在搬运过程可避免脚架变形扭曲，普遍适用于一般工厂搬运，可另附防尘盖，属得胜专利产品，可以有效防止脚轮因灰尘或缠丝而无法转动，提高脚轮使用寿命。
- Heavy Duty Kingpinless casters with hardened raceways for greater impact resistance to avoid distortions. Ideal for towing application in automobile, glass, textile, tyre industry, etc.....Patented thread guards and dust covers prevent swivel failure caused by build-up of strings between the wheel and fork legs, as well as the dust in the wheel bearing. Suitable for application with shock loads, towing and uneven floor surface.

载重 Load
120-750 kg



特色区 Features



超级人造胶

轮子选项 Wheel Options





▶ 底板规格 TOP PLATE SIZE AND BOLT HOLE SPACING

编号 Suffix	底板尺寸 Top Plate Size	底板孔距 Bolt Hole Spacing	安装尼帽尺寸 Attaching Bolt Size
1	100 x 115 mm (4"x 4-1/2")	75 x 80 mm (2-5/8"~3"x3~3-5/8")	9.5 mm (3/8")
2	115 x 159 mm (4-1/2"x 6-1/4")	75 x 130mm (2-7/16"~3-3/8" x4-15/16"~5-1/4")	12.7 mm (1/2")

轮径×轮宽 Diameter×Width	载重 Load	材质 Material	型号 Item No.			轴承 Bearing	总高 Overall Height	回旋半径 Swivel radius	
			固定 Fixed	活动 Swivel	刹车 Brake				
100x50mm (4"x2")	270 kgs (600lbs)	高科技耐磨聚氨酯 (圆弧形) PU on PP Core(Round Shape)	1141-04-43-1	1141-04-43-2	1141-04-43-4	滚珠 Ball Bearing	142mm (5-5/8")	单槽: 活动 80mm 侧刹 102mm AK刹 143mm 双槽: 活动 90mm 侧刹 112mm AK刹 153mm Single groove : Swivel 80mm Swivel W/Side Brake 102mm AK Brake 143mm Double groove : Swivel 90mm Swivel W/Side Brake 112mm AK Brake 153mm	
	200 kgs (440lbs)	韩款铁芯聚氨酯 (圆弧形) PU on Cast(Round Shape)	1141-04-42-1	1141-04-42-2	1141-04-42-4				滚针 Roller Bearing
	150 kgs (325lbs)	铁芯NBR橡胶轮 NBR Rubber on Cast	1141-04-04-1	1141-04-04-2	1141-04-04-4				
	320 kgs (700lbs)	铁芯聚氨酯 PU on Cast	1141-04-33-1	1141-04-33-2	1141-04-33-4	精密长珠轴承 Annular ball bearing			
	360 kgs (800lbs)	电木轮 Phenolic	1141-04-25-1	1141-04-25-2	1141-04-25-4				滚针 Roller Bearing
	270 kgs (600lbs)	高科技耐磨聚氨酯 PU on PP Core	1141-04-31-1	1141-04-31-2	1141-04-31-4				
	360 kgs (800lbs)	SS铁轮 Cast Iron	1141-04-21-1	1141-04-21-2	1141-04-21-4	滚针 Roller Bearing			
	360 kgs (800lbs)	VG轮 V Groove	1141-04-28-1	1141-04-28-2	1141-04-28-4				滚针 Roller Bearing
	120 kgs (265lbs)	超级人造胶 (圆弧形) TPR on PP Core(Round Shape)	1141-04-26-1	1141-04-26-2	1141-04-26-4				
	150 kgs (330lbs)	超级人造胶 (平面) TPR on PP Core(Flat Shape)	1141-04-52-1	1141-04-52-2	1141-04-52-4	滚针 Roller Bearing			
	150 kgs (330lbs)	W超级人造胶 WPPR	1141-04-47-1	1141-04-47-2	1141-04-47-4				滚针 Roller Bearing
	181 kgs (400lbs)	W全效轮 (平面) W Resolute(Flat Shape)	1141-04-48-1	1141-04-48-2	1141-04-48-4				
	181 kgs (400lbs)	全效轮 (平面) Resolute(Flat Shape)	1141-04-51-1	1141-04-51-2	1141-04-51-4	滚针 Roller Bearing			
	136 kgs (300lbs)	全效轮 (圆弧形) Resolute(Round Shape)	1141-04-44-1	1141-04-44-2	1141-04-44-4				滚针 Roller Bearing
	228 kgs (500lbs)	HDR轮 (圆弧形) HD Resolute Wheel(Round Shape)	1141-04-54-1	1141-04-54-2	1141-04-54-4				
	270 kgs (600lbs)	WHDR轮 WHDR	1141-04-55-1	1141-04-55-2	1141-04-55-4	滚针 Roller Bearing			
125x50mm (5"x2")	340 kgs (750lbs)	高科技耐磨聚氨酯 (圆弧形) PU on PP Core(Round Shape)	1141-05-43-1	1141-05-43-2	1141-05-43-4		滚珠 Ball Bearing	167mm (6-1/2")	单槽: 活动 95.5mm 侧刹 102mm AK刹 154mm 双槽: 活动 105.5mm 侧刹 122mm AK刹 164mm Single groove : Swivel 95.5mm Swivel W/Side Brake 102mm AK Brake 154mm Double groove : Swivel 105.5mm Swivel W/Side Brake 122mm AK Brake 164mm
	230 kgs (500lbs)	韩款铁芯聚氨酯 (圆弧形) PU on Cast(Round Shape)	1141-05-42-1	1141-05-42-2	1141-05-42-4				
	340 kgs (750 lbs)	SPU轮 CPU on PP core	1141-05-63-1	1141-05-63-2	1141-05-63-4	滚针 Roller Bearing			
	400 kgs (880lbs)	EPU轮 EPU	1141-05-78-1	1141-05-78-2	1141-05-78-4		滚针 Roller Bearing		
	500 kgs (1100lbs)	EQPU轮 EQPU	1141-05-81-1	1141-05-81-2	1141-05-81-4				
	200 kgs (440lbs)	铁芯NBR橡胶轮 NBR Rubber on Cast	1141-05-04-1	1141-05-04-2	1141-05-04-4	精密长珠轴承 Annular ball bearing			
	360 kgs (790lbs)	铁芯聚氨酯 PU on Cast	1141-05-33-1	1141-05-33-2	1141-05-33-4		滚针 Roller Bearing		
	400 kgs (880lbs)	电木轮 Phenolic	1141-05-25-1	1141-05-25-2	1141-05-25-4				
	340 kgs (750lbs)	高科技耐磨聚氨酯 PU on PP Core	1141-05-31-1	1141-05-31-2	1141-05-31-4	滚针 Roller Bearing			
	400 kgs (880lbs)	SS铁轮 Cast Iron	1141-05-21-1	1141-05-21-2	1141-05-21-4		滚针 Roller Bearing		
	400 kgs (880lbs)	VG轮 V Groove	1141-05-28-1	1141-05-28-2	1141-05-28-4				
	140 kgs (300lbs)	超级人造胶 (圆弧形) TPR on PP Core	1141-05-26-1	1141-05-26-2	1141-05-26-4	滚针 Roller Bearing			
	180 kgs (396lbs)	超级人造胶 (平面) TPR on PP Core(Flat Shape)	1141-05-52-1	1141-05-52-2	1141-05-52-4		滚针 Roller Bearing		
	180 kgs (396lbs)	W超级人造胶 WPPR	1141-05-47-1	1141-05-47-2	1141-05-47-4				
	227 kgs (500lbs)	W全效轮 (平面) W Resolute(Flat Shape)	1141-05-48-1	1141-05-48-2	1141-05-48-4	滚针 Roller Bearing			
	227 kgs (500lbs)	全效轮 (平面) Resolute(Flat Shape)	1141-05-51-1	1141-05-51-2	1141-05-51-4		滚针 Roller Bearing		
170 kgs (375lbs)	全效轮 (圆弧形) Resolute(Round Shape)	1141-05-44-1	1141-05-44-2	1141-05-44-4	滚针 Roller Bearing				
261 kgs (575lbs)	HDR轮 (圆弧形) HD Resolute Wheel(Round Shape)	1141-05-54-1	1141-05-54-2	1141-05-54-4		滚针 Roller Bearing			
340 kgs (750lbs)	WHDR轮 WHDR	1141-05-55-1	1141-05-55-2	1141-05-55-4			滚针 Roller Bearing		



轮径×轮宽 Diameter×Width	kg 载重 Load	材质 Material	型号 Item No.			轴承 Bearing	总高 Overall Height	回旋半径 Swivel radius
			固定 Fixed	活动 Swivel	刹车 Brake			
150x50mm (6"x2")	410 kgs (900lbs)	高科技耐磨聚氨酯 (圆弧形) PU on PP Core(Round Shape)	1141-06-43-1	1141-06-43-2	1141-06-43-4	滚珠 Ball Bearing	190mm (7-1/2")	单槽: 活动 111mm 侧刹 123mm AK刹 158mm 双槽: 活动 123mm 侧刹 135mm AK刹 170mm Single groove : Swivel 111mm Swivel W/Side Brake 123mm AK Brake 158mm Double groove : Swivel 123mm Swivel W/Side Brake 135mm AK Brake 170mm
	260 kgs (570lbs)	韩款铁芯聚氨酯 (圆弧形) PU on Cast(Round Shape)	1141-06-42-1	1141-06-42-2	1141-06-42-4			
	410 kgs (900lbs)	SPU轮 CPU on PP core	1141-06-63-1	1141-06-63-2	1141-06-63-4			
	500 kgs (1100lbs)	EPU轮 EPU	1141-06-78-1	1141-06-78-2	1141-06-78-4			
	600 kgs (1320lbs)	EQPU轮 EQPU	1141-06-81-1	1141-06-81-2	1141-06-81-4			
	250 kgs (550lbs)	铁芯NBR橡胶轮 NBR Rubber on Cast	1141-06-04-1	1141-06-04-2	1141-06-04-4			
	410 kgs (900lbs)	铁芯聚氨酯 PU on Cast	1141-06-33-1	1141-06-33-2	1141-06-33-4	滚针 Roller Bearing		
	420 kgs (925lbs)	电木轮 Phenolic	1141-06-25-1	1141-06-25-2	1141-06-25-4			
	410 kgs (900lbs)	高科技耐磨聚氨酯 PU on PP Core	1141-06-31-1	1141-06-31-2	1141-06-31-4			
	420 kgs (925lbs)	SS铁轮 Cast Iron	1141-06-21-1	1141-06-21-2	1141-06-21-4			
	420 kgs (925lbs)	VG轮 V Groove	1141-06-28-1	1141-06-28-2	1141-06-28-4			
	160 kgs (350lbs)	超级人造胶 (圆弧形) TPR on PP Core(Round Shape)	1141-06-26-1	1141-06-26-2	1141-06-26-4			
	210 kgs (462lbs)	超级人造胶 (平面) TPR on PP Core(Flat Shape)	1141-06-52-1	1141-06-52-2	1141-06-52-4	滚针 Roller Bearing 精密长珠轴承 Annular ball bearing		
	210 kgs (462lbs)	W超级人造胶 WPPR	1141-06-47-1	1141-06-47-2	1141-06-47-4			
	272 kgs (600lbs)	W全效轮 (平面) W Resolute(Flat Shape)	1141-06-48-1	1141-06-48-2	1141-06-48-4			
	272 kgs (600lbs)	全效轮 (平面) Resolute(Flat Shape)	1141-06-51-1	1141-06-51-2	1141-06-51-4			
	204 kgs (450lbs)	全效轮 (圆弧形) Resolute (Round Shape)	1141-06-44-1	1141-06-44-2	1141-06-44-4			
	295 kgs (650lbs)	HDR轮 (圆弧形) HD Resolute Wheel(Round Shape)	1141-06-54-1	1141-06-54-2	1141-06-54-4			
	408 kgs (900lbs)	WHDR轮 WHDR	1141-06-55-1	1141-06-55-2	1141-06-55-4			
	200x50mm (8"x2")	420 kgs (925lbs)	高科技耐磨聚氨酯 (圆弧形) PU on PP Core(Round Shape)	1141-08-43-1	1141-08-43-2	1141-08-43-4		
300 kgs (660lbs)		韩款铁芯聚氨酯 (圆弧形) PU on Cast(Round Shape)	1141-08-42-1	1141-08-42-2	1141-08-42-4			
420 kgs (925lbs)		SPU轮 CPU on PP core	1141-08-63-1	1141-08-63-2	1141-08-63-4			
600 kgs (1320lbs)		EPU轮 EPU	1141-08-78-1	1141-08-78-2	1141-08-78-4			
750 kgs (1650lbs)		EQPU轮 EQPU	1141-08-81-1	1141-08-81-2	1141-08-81-4			
300 kgs (660lbs)		铁芯NBR橡胶轮 NBR Rubber on Cast	1141-08-04-1	1141-08-04-2	1141-08-04-4			
450 kgs (990lbs)		铁芯聚氨酯 PU on Cast	1141-08-33-1	1141-08-33-2	1141-08-33-4	滚针 Roller Bearing		
450 kgs (990lbs)		电木轮 Phenolic	1141-08-25-1	1141-08-25-2	1141-08-25-4			
420 kgs (925lbs)		高科技耐磨聚氨酯 PU on PP Core	1141-08-31-1	1141-08-31-2	1141-08-31-4			
450 kgs (990lbs)		SS铁轮 Cast Iron	1141-08-21-1	1141-08-21-2	1141-08-21-4			
450 kgs (990lbs)		VG轮 V Groove	1141-08-28-1	1141-08-28-2	1141-08-28-4			
185 kgs (400lbs)		超级人造胶 (圆弧形) TPR on PP Core(Round Shape)	1141-08-26-1	1141-08-26-2	1141-08-26-4			
230 kgs (506lbs)		超级人造胶 (平面) TPR on PP Core(Flat Shape)	1141-08-52-1	1141-08-52-2	1141-08-52-4	滚针 Roller Bearing 精密长珠轴承 Annular ball bearing		
230 kgs (506lbs)		W超级人造胶 WPPR	1141-08-47-1	1141-08-47-2	1141-08-47-4			
306 kgs (675lbs)		W全效轮 (平面) W Resolute(Flat Shape)	1141-08-48-1	1141-08-48-2	1141-08-48-4			
306 kgs (675lbs)		全效轮 (平面) Resolute (Flat Shape)	1141-08-51-1	1141-08-51-2	1141-08-51-4			
272 kgs (600lbs)		全效轮 (圆弧形) Resolute (Round Shape)	1141-08-44-1	1141-08-44-2	1141-08-44-4			
318 kgs (700lbs)		HDR轮 (圆弧形) HD Resolute Wheel(Round Shape)	1141-08-54-1	1141-08-54-2	1141-08-54-4			
430 kgs (950lbs)		WHDR轮 WHDR	1141-08-55-1	1141-08-55-2	1141-08-55-4			