




# 1115 Series

## 彈簧輪系列(常規) Spring-loaded Caster (Regular)


- 屬得勝專利產品，避震，超重負載，多款供選擇。採用超厚板材及高級彈簧，品質、工藝明顯優於市場上同類產品。
- DERSHENG'S patented products, shock-absorbing, extreme heavy-duty, diversified selection. Made of super thick steel and high quality spring, outperforming most products from competitors.



### 特色區 Features



AK煞(For 4",5",6",8")  
Swivel W/Center Lock(AK type)




BCD煞(中煞)(For 10" only)  
Swivel W/Center Lock Brake




PU輪面可以變化硬度  
Different PU  
tread hardness available



滾珠軸承  
Ball Bearing



輪子可附金屬防塵蓋(供選擇)  
Metal Thread Guard(optional)



輪子可附塑膠防塵蓋(供選擇)  
Plastic Thread Guard(optional)

### 輪子選項 Wheel Options



鐵芯聚氨酯  
PU on Cast



QPU輪  
QPU



鋁芯QPU  
QPU on AL Core



環保牽引NBR  
Non - marking NBR Rubber  
on Cast



鐵芯NBR橡膠輪(叉車料)  
NBR Rubber on Cast



EPU輪  
EPU



EQPU輪  
EQPU



VPU輪  
VPU



VQPU輪  
VQPU



尼龍輪  
Nylon



WMRC輪  
WMRC





▶▶ 底板規格 TOP PLATE SIZE AND BOLT HOLE SPACING

腳輪尺寸 Caster Size	底板尺寸 Top Plate Size	底板孔距 Bolt Hole Spacing	安裝尼帽尺寸 Attaching Bolt Size
4" 5" 6" 8"	110 x 140mm (4-11/32" x 5-1/2")	75 x 110mm(常規標準底板) (2-15/16" x 4-11/32")	12 mm (1/2")
	110 x 140mm (4-11/32" x 5-1/2")	80 x 105mm(歐規孔距) (3-5/32" x 4-1/8"(European Plate))	12 mm (1/2")
	130 x 165mm (5-1/8" x 6-1/2")	100 x 130mm (3-15/16" x 5-1/8")	12 mm (1/2")
	114 x 159mm (4-1/2" x 6-1/4")	73.8 x 129.4mm (2-29/32" x 5-3/32")	12 mm (1/2")
10"	130 x 167mm (5-1/8" x 6-9/16")	85 x 140mm (3-11/32" x 5-1/2")	12 mm (1/2")

輪徑×輪寬 Diameter×Width	載重 Load	材質 Material	型號 Item No.			軸承 Bearing	總高 Overall Height	迴旋半徑 Swivel radius
			固定 Fixed	活動 Swivel	剎車 Brake			
100mm x 32mm (4" x 1-1/4")	150 kgs (330 lbs)	尼龍輪 Nylon	1115-04-07-1	1115-04-07-2	1115-04-07-4	滾珠 Ball Bearing	198mm (7-13/16")	活動 96mm AK煞 164mm Swivel 96mm Swivel W/AK lock brake 164mm
100mm x 36mm (4" x 1-7/16")	200 kgs (440 lbs)	鐵芯聚氨酯 PU on Cast	1115-04-33-1	1115-04-33-2	1115-04-33-4			
	200 kgs (440 lbs)	鐵芯AQPU QPU on AL Core	1115-04-87-1	1115-04-87-2	1115-04-87-4			
	250 kgs (550 lbs)	QPU輪 QPU	1115-04-80-1	1115-04-80-2	1115-04-80-4			
100mm x 38mm (4" x 1-1/2")	150 kgs (330 lbs)	環保牽引NBR輪 Non-marking NBR Rubber on Cast	1115-04-90-1	1115-04-90-2	1115-04-90-4	滾珠 Ball Bearing	210mm (8-9/32")	活動 132mm AK煞 194mm Swivel 132mm Swivel W/AK lock brake 194mm
	150 kgs (330 lbs)	鐵芯NBR橡膠輪 NBR Rubber on Cast	1115-04-04-1	1115-04-04-2	1115-04-04-4			
125mm x 40mm (5" x 1-9/16")	200 kgs (440 lbs)	尼龍輪 Nylon	1115-05-07-1	1115-05-07-2	1115-05-07-4			
	200 kgs (440 lbs)	環保牽引NBR輪 Non-marking NBR Rubber on Cast	1115-05-90-1	1115-05-90-2	1115-05-90-4			
	250 kgs (550 lbs)	鐵芯AQPU QPU on AL Core	1115-05-87-1	1115-05-87-2	1115-05-87-4			
	200 kgs (440 lbs)	鐵芯聚氨酯 PU on Cast	1115-05-33-1	1115-05-33-2	1115-05-33-4			
	200 kgs (440 lbs)	鐵芯NBR橡膠輪 NBR Rubber on Cast	1115-05-04-1	1115-05-04-2	1115-05-04-4			
	250 kgs (550 lbs)	QPU輪 QPU	1115-05-80-1	1115-05-80-2	1115-05-80-4			
	250 kgs (550 lbs)	EPU輪 EPU	1115-05-78-1	1115-05-78-2	1115-05-78-4			
350 kgs (770 lbs)	EQPU輪 EQPU	1115-05-81-1	1115-05-81-2	1115-05-81-4				
150mm x 40mm (6" x 1-9/16")	250 kgs (550 lbs)	鐵芯NBR橡膠輪 NBR Rubber on Cast	1115-06-04-1	1115-06-04-2	1115-06-04-4	滾珠 Ball Bearing	225mm (8-27/32")	活動 146mm AK煞 200mm Swivel 146mm Swivel W/AK lock brake 200mm
	250 kgs (550 lbs)	尼龍輪 Nylon	1115-06-07-1	1115-06-07-2	1115-06-07-4			
	250 kgs (550 lbs)	環保牽引NBR輪 Non-marking NBR Rubber on Cast	1115-06-90-1	1115-06-90-2	1115-06-90-4			
	250 kgs (550 lbs)	WMRC輪 WMRC	1115-06-45-1	1115-06-45-2	1115-06-45-4			
150mm x 42mm (6" x 1-5/8")	250 kgs (550 lbs)	鐵芯聚氨酯 PU on Cast	1115-06-33-1	1115-06-33-2	1115-06-33-4			
	300 kgs (660 lbs)	鐵芯AQPU QPU on AL Core	1115-06-87-1	1115-06-87-2	1115-06-87-4			
	300 kgs (660 lbs)	QPU輪 QPU	1115-06-80-1	1115-06-80-2	1115-06-80-4			
	300 kgs (660 lbs)	EPU輪 EPU	1115-06-78-1	1115-06-78-2	1115-06-78-4			
	400 kgs (880 lbs)	EQPU輪 EQPU	1115-06-81-1	1115-06-81-2	1115-06-81-4			
	400 kgs (880 lbs)	VPU輪 VPU	1115-06-82-1	1115-06-82-2	1115-06-82-4			
	500 kgs (1100 lbs)	VQPU輪 VQPU	1115-06-83-1	1115-06-83-2	1115-06-83-4			
150mm x 46mm (6" x 1-13/16")	300 kgs (660 lbs)	鐵芯NBR橡膠輪 NBR Rubber on Cast	1115-06-04-1	1115-06-04-2	1115-06-04-4			



 輪徑×輪寬 Diameter×Width	 載重 Load	 材質 Material	 型號 Item No.			 軸承 Bearing	 總高 Overall Height	 迴旋半徑 Swivel radius
			固定 Fixed	活動 Swivel	剎車 Brake			
200mm x 44mm (8" x 1-3/4")	300 kgs (660 lbs)	鐵芯NBR橡膠輪 NBR Rubber on Cast	1115-08-04-1	1115-08-04-2	1115-08-04-4	滾珠 Ball Bearing	280mm (11-1/32")	活動 182mm AK煞 254mm Swivel 182mm Swivel W/AK lock brake 254mm
	300 kgs (660 lbs)	環保牽引NBR輪 Non-marking NBR Rubber on Cast	1115-08-90-1	1115-08-90-2	1115-08-90-4			
200mm x 50mm (8" x 2")	300 kgs (660 lbs)	鐵芯聚氨脂 PU on Cast	1115-08-33-1	1115-08-33-2	1115-08-33-4			
	350 kgs (770 lbs)	QPU輪 QPU	1115-08-80-1	1115-08-80-2	1115-08-80-4			
	350 kgs (770 lbs)	EPU輪 EPU	1115-08-78-1	1115-08-78-2	1115-08-78-4			
	450 kgs (990 lbs)	EQPU輪 EQPU	1115-08-81-1	1115-08-81-2	1115-08-81-4			
	450 kgs (990 lbs)	VPU輪 VPU	1115-08-82-1	1115-08-82-2	1115-08-82-4			
	550 kgs (1210 lbs)	VQPU輪 VQPU	1115-08-83-1	1115-08-83-2	1115-08-83-4			
	300 kgs (660 lbs)	尼龍輪 Nylon	1115-08-07-1	1115-08-07-2	1115-08-07-4			
	300 kgs (660 lbs)	WMRC輪 WMRC	1115-08-45-1	1115-08-45-2	1115-08-45-4			
350 kgs (770 lbs)	鋁芯AQPU QPU on AL Core	1115-08-87-1	1115-08-87-2	1115-08-87-4				
250mm x 62mm (10" x 2-7/16")	500 kgs (1100 lbs)	QPU輪 QPU	1115-10-80-1	1115-10-80-2	1115-10-80-4	滾珠 Ball Bearing	353mm (13-29/32")	活動 213mm BCD煞 255mm Swivel 213mm Swivel W/Center lock 255mm
	500 kgs (1100 lbs)	VPU輪 VPU	1115-10-82-1	1115-10-82-2	1115-10-82-4	滾珠 Ball Bearing	355mm (14")	
	600 kgs (1320 lbs)	VQPU輪 VQPU	1115-10-83-1	1115-10-83-2	1115-10-83-4	滾珠 Ball Bearing	355mm (14")	
250mm x 63mm (10" x 2-1/2")	350 kgs (770 lbs)	鐵芯NBR橡膠輪 NBR Rubber on Cast	1115-10-04-1	1115-10-04-2	1115-10-04-4	滾珠 Ball Bearing	355mm (14")	
	350 kgs (770 lbs)	環保牽引NBR輪 Non-marking NBR Rubber on Cast	1115-10-90-1	1115-10-90-2	1115-10-90-4	滾珠 Ball Bearing	353mm (13-29/32")	
254mm x 50mm (10" x 2")	300 kgs (660 lbs)	尼龍輪 Nylon	1115-10-07-1	1115-10-07-2	1115-10-07-4	滾珠 Ball Bearing	353mm (13-29/32")	
254mm x 62mm (10" x 2-7/16")	450 kgs (990 lbs)	鐵芯聚氨脂 PU on Cast	1115-10-33-1	1115-10-33-2	1115-10-33-4	滾珠 Ball Bearing	353mm (13-29/32")	