




1155 Series

全塑-1系列

STAT Series Caster (All Plastic)

- ◉無污染 ◉超靜音 ◉防生鏽 ◉彈性佳
- ◉低阻力 ◉轉動靈活 ◉耐衝材質 ◉專利產品
- ◉產品輕量化且堅固耐用
- ◉可另選購有抗菌效果之全效輪或TPR輪
- ◉適用於醫療器材設備、傢俱置物架、食品工廠、學校、辦公室等場所。
- ◉另有不銹鋼材質的五金件可供選擇
- ◉可提供無磁腳輪

- High grade synthetic housing
- Smooth and easy rolling, these casters noticeably reduce the effort to operate equipment
- Highly effective Thread guards prevent failure from strings and other debris.
- Specifically designed for healthcare and institutional applications where silence is essential.
- Corrosion resistant with non-marking wheels
- Ball bearing swivel head
- Directional lock also available
- Stainless steel components are also available
- Magnetic Free Caster also available



» 特色區 Features



雙煞
Total Lock Brake



定向煞
Directional
Lock Brake



長踏板
Long Pedal



超長踏板
Extra Long Pedal



無磁腳輪
Magnetic Free
Caster



導電輪
E-Conductive

搭配導電輪時，腳架上的車心
防塵蓋會做黃色，以做區分
E-conductive wheel,
Precision ball bearing,
Non-marking

» 輪子選項 Wheel Options



全效輪
Rolute



超級人造膠
TPR on PP Core
(Dount)



導電輪
E-Conductive



鋁芯AQPU
QPU on AL Core



超級人造膠(大圓弧)
TPR on PP Core (Dount)



全效輪(大圓弧)
Rolute (Dount)



滾珠軸承
Ball Bearing



中管
Plain Bearing

**» 底板規格 TOP PLATE SIZE AND BOLT HOLE SPACING**

規格 Size	底板尺寸 Top Plate Size	底板孔距 Bolt Hole Spacing	安裝尼帽尺寸 Attaching Bolt Size
3"	42X42mm	32X32mm *	M4/M5
3"	60X60mm	42.5X42.5mm *	M6
3"	62X94mm	45X75mm(高級底板) *	M8
3"	69X96mm	49X74.5mm(斜孔底板) *	M8
4" 5"	69X96mm	45X75mm(高級底板) *	M8
3" 4" 5"	69X96mm	49X74.5mm(斜孔底板) *	M8

* 有固定架和定向活動架可供選擇 (Fixed Caster and Directional Swivel Caster is available. Please consult the factory.)

» 插桿規格 CYLINDRICAL STEM SPECIFICATION

規格 Size	插桿直徑 X 長度 Diameter x Length	孔位高度 Hole Height	孔尺寸 Bore Size
3"	11X22mm	—	C型環(Grip Ring)
3"	11X38mm	—	C型鋼扣環(Grip Ring)
4" 5"	21.6X56mm	—	C型環(Grip Ring)
4" 5"	21.5X44.5mm	25.4mm *	#10 X 24UNC+C型環(Grip Ring)
4" 5"	28X30mm	19mm *	M8
4" 5"	28X40mm	19mm *	M8

* 有固定架和定向活動架可供選擇 (Fixed Caster and Directional Swivel Caster is available. Please consult the factory.)

» 絲扣規格 THREADED STEM SPECIFICATION

規格 Size	絲扣牙徑 X 長度 Threaded Size	規格 Size	絲扣牙徑 X 長度 Threaded Size
3"	3/8-16UNCX25mm	3"	M10X15mm
3"	M12X25mm	4" 5"	3/8-16UNCX32mm
4" 5"	M12X25mm	4" 5"	M12X25mm (不鏽鋼SS)
4" 5"	1/2-12UNCX25mm	4" 5"	1/2-20UNCX25mm (不鏽鋼SS)
4" 5"	M16X30mm		

» 空鉚規格 SINGLE BOLT HOLE

規格 Size	孔徑 Centre Hole	規格 Size	孔徑 Centre Hole
3" 4" 5"	10.5mm	4" 5"	12.5mm



 輪徑×輪寬 Diameter×Width	 規 格 Specification	 載重 Load	 材質 Material	 品號 Item No.				 軸 承 Bearing	 總 高 Overall Height	 偏 心 距 Offset	 迴 旋 半 徑 Swivel radius
				固 定 Fixed	活 動 Swivel	雙 煞 Total Lock Brack	定 向 煞 Directional Lock				
75mmx25mm (3"x1")	四角底板 Plate	75kgs (165lbs)	全效輪 Resolute	1155-03-68-1	1155-03-68-2	1155-03-68-4	—	滾珠軸承 Ball Bearing	113mm	27mm	活動 64.5mm 煞車(短踏板) 75mm 煞車(長踏板) 88mm Swivel 64.5mm Swivel W/Brake (Short pedal) 75mm Swivel W/Brake (Long pedal) 88mm
		65kgs (143lbs)	導電輪 E-conductive	1155-03-17-1	1155-03-17-2	1155-03-17-4	—	滾珠軸承 Ball Bearing			
		75kgs (165lbs)	超級人造膠 TPR on PP Core	1155-03-75-1	1155-03-75-2	1155-03-75-4	—	滾珠軸承 Ball Bearing			
	絲扣 Threaded Stem	75kgs (165lbs)	全效輪 Resolute	—	1155-03-68-2	1155-03-68-4	—	滾珠軸承 Ball Bearing	107mm		
		65kgs (143lbs)	導電輪 E-conductive	—	1155-03-17-2	1155-03-17-4	—	滾珠軸承 Ball Bearing			
		75kgs (165lbs)	超級人造膠 TPR on PP Core	—	1155-03-75-2	1155-03-75-4	—	滾珠軸承 Ball Bearing			
	空鉚 Single Bolt Hole	75kgs (165lbs)	全效輪 Resolute	—	1155-03-68-2	1155-03-68-4	—	滾珠軸承 Ball Bearing	104mm		
		65kgs (143lbs)	導電輪 E-conductive	—	1155-03-17-2	1155-03-17-4	—	滾珠軸承 Ball Bearing			
		75kgs (165lbs)	超級人造膠 TPR on PP Core	—	1155-03-75-2	1155-03-75-4	—	滾珠軸承 Ball Bearing			
	插桿 Cylindrical Stem	75kgs (165lbs)	全效輪 Resolute	1155-03-68-1	1155-03-68-2	1155-03-68-4	—	滾珠軸承 Ball Bearing	104mm		
		65kgs (143lbs)	導電輪 E-conductive	1155-03-17-1	1155-03-17-2	1155-03-17-4	—	滾珠軸承 Ball Bearing			
		75kgs (165lbs)	超級人造膠 TPR on PP Core	1155-03-75-1	1155-03-75-2	1155-03-75-4	—	滾珠軸承 Ball Bearing			
100mmx24mm (4"x15/16")	四角底板 Plate	60kgs (132lbs)	經典超級人造膠 TPR on PP Core	1155-04-75-1	1155-04-75-2	1155-04-75-4	1155-04-75-9	滾珠軸承 Ball Bearing	141mm	36mm	活動86mm 煞車(短踏板) 102mm 煞車(長踏板) 113mm 煞車(超長踏板) 126mm Swivel 86mm Swivel W/Brake (Short pedal) 102mm Swivel W/Brake (Long pedal) 113mm Swivel W/Brake (Extra long pedal) 126mm
		60kgs (132lbs)	經典全效輪 Resolute	1155-04-68-1	1155-04-68-2	1155-04-68-4	1155-04-68-9	滾珠軸承 Ball Bearing			
		50kgs (110lbs)	經典超級人造膠 TPR on PP Core	1155-04-75-1	1155-04-75-2	1155-04-75-4	1155-04-75-9	中管 Plain Bearing			
		50kgs (110lbs)	經典超級人造膠 TPR on PP Core	1155-04-75-1	1155-04-75-2	1155-04-75-4	1155-04-75-9	中管(無防塵蓋) Plain Bearing			
90kgs (198lbs)		全效輪 Resolute	1155-04-68-1	1155-04-68-2	1155-04-68-4	1155-04-68-9	滾珠軸承 Ball Bearing				
80kgs (176lbs)		經典全效輪 Resolute	1155-04-68-1	1155-04-68-2	1155-04-68-4	1155-04-68-9	滾珠軸承 Ball Bearing				
90kgs (198lbs)		導電輪 E-conductive	1155-04-17-1	1155-04-17-2	1155-04-17-4	1155-04-17-9	滾珠軸承 Ball Bearing				
90kgs (198lbs)		超級人造膠 TPR on PP Core	1155-04-75-1	1155-04-75-2	1155-04-75-4	1155-04-75-9	滾珠軸承 Ball Bearing				
							中管 Plain Bearing				
80kgs (176lbs)		經典超級人造膠 TPR on PP Core	1155-04-75-1	1155-04-75-2	1155-04-75-4	1155-04-75-9	滾珠軸承 Ball Bearing				
							中管 Plain Bearing				
80kgs (176lbs)		經典超級人造膠 TPR on PP Core	1155-04-75-1	1155-04-75-2	1155-04-75-4	1155-04-75-9	中管(無防塵蓋) Plain Bearing				
100mmx31mm (4"x1-1/4")	90kgs (198lbs)	鋁芯AQPU QPU on AL Core	1155-04-87-1	1155-04-87-2	1155-04-87-4	1155-04-87-9	滾珠軸承 Ball Bearing				
	80kgs (176lbs)	超級人造膠(大圓弧) TPR on PP Core(Dount)	1155-04-110-1	1155-04-110-2	1155-04-110-4	1155-04-110-9	滾珠軸承 Ball Bearing				
	100mmx31mm (4"x1-1/4")		90kgs (198lbs)	全效輪(大圓弧) Resolute(Dount)	1155-04-111-1	1155-04-111-2	1155-04-111-4	1155-04-111-9	滾珠軸承 Ball Bearing		



 輪徑×輪寬 Diameter×Width	規 格 Specification	 載重 Load	 材質 Material	 品號 Item No.				 軸承 Bearing	 總高 Overall Height	 偏心距 Offset	 迴旋半徑 Swivel radius			
				固定 Fixed	活動 Swivel	雙煞 Total Lock Brack	定向煞 Directional Lock							
100mmx24mm (4"x15/16")	絲扣 Threaded Stem	60kgs (132lbs)	經典超級人造膠 TPR on PP Core	—	1155-04-75-2	1155-04-75-4	—	滾珠軸承 Ball Bearing	139mm	36mm	活動86mm 煞車(短踏板) 102mm 煞車(長踏板) 113mm 煞車(超長踏板) 126mm Swivel 86mm Swivel W/Brake (Short pedal) 102mm Swivel W/Brake (Long pedal) 113mm Swivel W/Brake (Extra long pedal) 126mm			
		60kgs (132lbs)	經典全效輪 Resolute	—	1155-04-68-2	1155-04-68-4	—	滾珠軸承 Ball Bearing						
		50kgs (110lbs)	經典超級人造膠 TPR on PP Core	—	1155-04-75-2	1155-04-75-4	—	中管 Plain Bearing						
		50kgs (110lbs)	經典超級人造膠 TPR on PP Core	—	1155-04-75-2	1155-04-75-4	—	中管(無防塵蓋) Plain Bearing						
100mmx31mm (4"x1-1/4")		90kgs (198lbs)	全效輪 Resolute	—	1155-04-68-2	1155-04-68-4	—	滾珠軸承 Ball Bearing						
		80kgs (176lbs)	經典全效輪 Resolute	—	1155-04-68-2	1155-04-68-4	—	滾珠軸承 Ball Bearing						
		90kgs (198lbs)	導電輪 E-conductive	—	1155-04-17-2	1155-04-17-4	—	滾珠軸承 Ball Bearing						
		90kgs (198lbs)	超級人造膠 TPR on PP Core	—	1155-04-75-2	1155-04-75-4	—	滾珠軸承 Ball Bearing 中管 Plain Bearing						
		80kgs (176lbs)	經典超級人造膠 TPR on PP Core	—	1155-04-75-2	1155-04-75-4	—	滾珠軸承 Ball Bearing 中管 Plain Bearing						
		80kgs (176lbs)	經典超級人造膠 TPR on PP Core	—	1155-04-75-2	1155-04-75-4	—	中管(無防塵蓋) Plain Bearing						
		90kgs (198lbs)	鋁芯AQPU QPU on AL Core	—	1155-04-87-2	1155-04-87-4	—	滾珠軸承 Ball Bearing						
		80kgs (176lbs)	超級人造膠(大圓弧) TPR on PP Core(Dount)	—	1155-04-110-2	1155-04-110-4	—	滾珠軸承 Ball Bearing						
		90kgs (198lbs)	全效輪(大圓弧) Resolute (Dount)	—	1155-04-111-2	1155-04-111-4	—	滾珠軸承 Ball Bearing						
		100mmx24mm (4"x15/16")	空鉚 Single Bolt Hole	60kgs (132lbs)	經典超級人造膠 TPR on PP Core	—	1155-04-75-2	1155-04-75-4				1155-04-75-9	滾珠軸承 Ball Bearing	138mm
				60kgs (132lbs)	經典全效輪 Resolute	—	1155-04-68-2	1155-04-68-4				1155-04-68-9	滾珠軸承 Ball Bearing	
				50kgs (110lbs)	經典超級人造膠 TPR on PP Core	—	1155-04-75-2	1155-04-75-4				1155-04-75-9	中管 Plain Bearing	
50kgs (110lbs)	經典超級人造膠 TPR on PP Core			—	1155-04-75-2	1155-04-75-4	1155-04-75-9	中管(無防塵蓋) Plain Bearing						
100mmx31mm (4"x1-1/4")	90kgs (198lbs)			全效輪 Resolute	—	1155-04-68-2	1155-04-68-4	1155-04-68-9	滾珠軸承 Ball Bearing					
	80kgs (176lbs)			經典全效輪 Resolute	—	1155-04-68-2	1155-04-68-4	1155-04-68-9	滾珠軸承 Ball Bearing					
	90kgs (198lbs)			導電輪 E-conductive	—	1155-04-17-2	1155-04-17-4	1155-04-17-9	滾珠軸承 Ball Bearing					
	90kgs (198lbs)			超級人造膠 TPR on PP Core	—	1155-04-75-2	1155-04-75-4	1155-04-75-9	滾珠軸承 Ball Bearing 中管 Plain Bearing					
80kgs (176lbs)	經典超級人造膠 TPR on PP Core			—	1155-04-75-2	1155-04-75-4	1155-04-75-9	滾珠軸承 Ball Bearing 中管 Plain Bearing						
80kgs (176lbs)	經典超級人造膠 TPR on PP Core			—	1155-04-75-2	1155-04-75-4	1155-04-75-9	中管(無防塵蓋) Plain Bearing						
90kgs (198lbs)	鋁芯AQPU QPU on AL Core			—	1155-04-87-2	1155-04-87-4	1155-04-87-9	滾珠軸承 Ball Bearing						
80kgs (176lbs)	超級人造膠(大圓弧) TPR on PP Core(Dount)			—	1155-04-110-2	1155-04-110-4	1155-04-110-9	滾珠軸承 Ball Bearing						
90kgs (198lbs)	全效輪(大圓弧) Resolute(Dount)	—		1155-04-111-2	1155-04-111-4	1155-04-111-9	滾珠軸承 Ball Bearing							



 輪徑×輪寬 Diameter×Width	規 格 Specification	 載重 Load	 材質 Material	 品號 Item No.				 軸承 Bearing	 總高 Overall Height	 偏心距 Offset	 迴旋半徑 Swivel radius				
				固定 Fixed	活動 Swivel	雙煞 Total Lock Brack	定向煞 Directional Lock								
100mmx24mm (4"x15/16")	插桿 Cylindrical Stem	60kgs (132lbs)	經典超級人造膠 TPR on PP Core	1155-04-75-1	1155-04-75-2	1155-04-75-4	1155-04-75-9	滾珠軸承 Ball Bearing	138mm	36mm	活動86mm 煞車(短踏板) 102mm 煞車(長踏板) 113mm 煞車(超長踏板) 126mm Swivel 86mm Swivel W/Brake (Short pedal) 102mm Swivel W/Brake (Long pedal) 113mm Swivel W/Brake (Extra long pedal) 126mm				
		60kgs (132lbs)	經典全效輪 Resolute	1155-04-68-1	1155-04-68-2	1155-04-68-4	1155-04-68-9	滾珠軸承 Ball Bearing							
		50kgs (110lbs)	經典超級人造膠 TPR on PP Core	1155-04-75-1	1155-04-75-2	1155-04-75-4	1155-04-75-9	中管 Plain Bearing							
		50kgs (110lbs)	經典超級人造膠 TPR on PP Core	1155-04-75-1	1155-04-75-2	1155-04-75-4	1155-04-75-9	中管(無防塵蓋) Plain Bearing							
100mmx31mm (4"x1-1/4")		90kgs (198lbs)	全效輪 Resolute	1155-04-68-1	1155-04-68-2	1155-04-68-4	1155-04-68-9	滾珠軸承 Ball Bearing							
		80kgs (176lbs)	經典全效輪 Resolute	1155-04-68-1	1155-04-68-2	1155-04-68-4	1155-04-68-9	滾珠軸承 Ball Bearing							
		90kgs (198lbs)	導電輪 E-conductive	1155-04-17-1	1155-04-17-2	1155-04-17-4	1155-04-17-9	滾珠軸承 Ball Bearing							
		90kgs (198lbs)	超級人造膠 TPR on PP Core	1155-04-75-1	1155-04-75-2	1155-04-75-4	1155-04-75-9	滾珠軸承 Ball Bearing 中管 Plain Bearing							
		80kgs (176lbs)	經典超級人造膠 TPR on PP Core	1155-04-75-1	1155-04-75-2	1155-04-75-4	1155-04-75-9	滾珠軸承 Ball Bearing 中管 Plain Bearing							
		80kgs (176lbs)	經典超級人造膠 TPR on PP Core	1155-04-75-1	1155-04-75-2	1155-04-75-4	1155-04-75-9	中管(無防塵蓋) Plain Bearing							
		90kgs (198lbs)	鋁芯AQPU QPU on AL Core	1155-04-87-1	1155-04-87-2	1155-04-87-4	1155-04-87-9	滾珠軸承 Ball Bearing							
		80kgs (176lbs)	超級人造膠(大圓弧) TPR on PP Core(Dount)	1155-04-110-1	1155-04-110-2	1155-04-110-4	1155-04-110-9	滾珠軸承 Ball Bearing							
		90kgs (198lbs)	全效輪(大圓弧) Resolute (Dount)	1155-04-111-1	1155-04-111-2	1155-04-111-4	1155-04-111-9	滾珠軸承 Ball Bearing							
		125mmx24.5mm (5"x31/32")	80kgs (176lbs)	經典超級人造膠 TPR on PP Core	1155-05-75-1	1155-05-75-2	1155-05-75-4	1155-05-75-9				滾珠軸承 Ball Bearing	166mm	38mm	活動100.5mm 煞車(短踏板) 102mm 煞車(長踏板) 113mm 煞車(超長踏板) 126mm Swivel 100.5mm Swivel W/Brake (Short pedal) 102mm Swivel W/Brake (Long pedal) 113mm Swivel W/Brake (Extra long pedal) 126mm
			80kgs (176lbs)	經典全效輪 Resolute	1155-05-68-1	1155-05-68-2	1155-05-68-4	1155-05-68-9				滾珠軸承 Ball Bearing			
			70kgs (154lbs)	經典超級人造膠 TPR on PP Core	1155-05-75-1	1155-05-75-2	1155-05-75-4	1155-05-75-9				中管 Plain Bearing			
70kgs (154lbs)	經典超級人造膠 TPR on PP Core		1155-05-75-1	1155-05-75-2	1155-05-75-4	1155-05-75-9	中管(無防塵蓋) Plain Bearing								
125mmx31mm (5"x1-1/4")	100kgs (220lbs)		全效輪 Resolute	1155-05-68-1	1155-05-68-2	1155-05-68-4	1155-05-68-9	滾珠軸承 Ball Bearing							
	90kgs (198lbs)		經典全效輪 Resolute	1155-05-68-1	1155-05-68-2	1155-05-68-4	1155-05-68-9	滾珠軸承 Ball Bearing							
	100kgs (220lbs)		導電輪 E-conductive	1155-05-17-1	1155-05-17-2	1155-05-17-4	1155-05-17-9	滾珠軸承 Ball Bearing							
	100kgs (220lbs)		超級人造膠 TPR on PP Core	1155-05-75-1	1155-05-75-2	1155-05-75-4	1155-05-75-9	滾珠軸承 Ball Bearing 中管 Plain Bearing							
	90kgs (198lbs)		經典超級人造膠 TPR on PP Core	1155-05-75-1	1155-05-75-2	1155-05-75-4	1155-05-75-9	滾珠軸承 Ball Bearing 中管 Plain Bearing							
	90kgs (198lbs)		經典超級人造膠 TPR on PP Core	1155-05-75-1	1155-05-75-2	1155-05-75-4	1155-05-75-9	中管(無防塵蓋) Plain Bearing							
	100kgs (220lbs)		鋁芯AQPU QPU on AL Core	1155-05-87-1	1155-05-87-2	1155-05-87-4	1155-05-87-9	滾珠軸承 Ball Bearing							
	90kgs (198lbs)		超級人造膠(大圓弧) TPR on PP Core(Dount)	1155-05-110-1	1155-05-110-2	1155-05-110-4	1155-05-110-9	滾珠軸承 Ball Bearing							
125mmx31mm (5"x1-1/4")		100kgs (220lbs)	全效輪(大圓弧) Resolute(Dount)	1155-05-111-1	1155-05-111-2	1155-05-111-4	1155-05-111-9	滾珠軸承 Ball Bearing							



 輪徑×輪寬 Diameter×Width	規 格 Specification	 載重 Load	 材質 Material	 品號 Item No.				 軸承 Bearing	 總高 Overall Height	 偏心距 Offset	 迴旋半徑 Swivel radius
				固定 Fixed	活動 Swivel	雙煞 Total Lock Brack	定向煞 Directional Lock				
125mmx24.5mm (5"x31/32")	絲扣 Threaded Stem	80kgs (176lbs)	經典超級人造膠 TPR on PP Core	—	1155-05-75-2	1155-05-75-4	—	滾珠軸承 Ball Bearing	164mm	38mm	活動100.5mm 煞車(短踏板) 102mm 煞車(長踏板) 113mm 煞車(超長踏板) 126mm Swivel 100.5mm Swivel W/Brake (Short pedal) 102mm Swivel W/Brake (Long pedal) 113mm Swivel W/Brake (Extra long pedal) 126mm
		80kgs (176lbs)	經典全效輪 Resolute	—	1155-05-68-2	1155-05-68-4	—	滾珠軸承 Ball Bearing			
		70kgs (154lbs)	經典超級人造膠 TPR on PP Core	—	1155-05-75-2	1155-05-75-4	—	中管 Plain Bearing			
		70kgs (154lbs)	經典超級人造膠 TPR on PP Core	—	1155-05-75-2	1155-05-75-4	—	中管(無防塵蓋) Plain Bearing			
100kgs (220lbs)		全效輪 Resolute	—	1155-05-68-2	1155-05-68-4	—	滾珠軸承 Ball Bearing				
90kgs (198lbs)		經典全效輪 Resolute	—	1155-05-68-2	1155-05-68-4	—	滾珠軸承 Ball Bearing				
100kgs (220lbs)		導電輪 E-conductive	—	1155-05-17-2	1155-05-17-4	—	滾珠軸承 Ball Bearing				
100kgs (220lbs)		超級人造膠 TPR on PP Core	—	1155-05-75-2	1155-05-75-4	—	滾珠軸承 Ball Bearing 中管 Plain Bearing				
90kgs (198lbs)		經典超級人造膠 TPR on PP Core	—	1155-05-75-2	1155-05-75-4	—	滾珠軸承 Ball Bearing 中管 Plain Bearing				
90kgs (198lbs)		經典超級人造膠 TPR on PP Core	—	1155-05-75-2	1155-05-75-4	—	中管(無防塵蓋) Plain Bearing				
100kgs (220lbs)		鋁芯AQP QPU on AL Core	—	1155-05-87-2	1155-05-87-4	—	滾珠軸承 Ball Bearing				
90kgs (198lbs)		超級人造膠(大圓弧) TPR on PP Core(Dount)	—	1155-05-110-2	1155-05-110-4	—	滾珠軸承 Ball Bearing				
100kgs (220lbs)		全效輪(大圓弧) Resolute(Dount)	—	1155-05-111-2	1155-05-111-4	—	滾珠軸承 Ball Bearing				
125mmx24.5mm (5"x31/32")		空鉚 Single Bolt Hole	80kgs (176lbs)	經典超級人造膠 TPR on PP Core	—	1155-05-75-2	1155-05-75-4	1155-04-75-9			
	80kgs (176lbs)		經典全效輪 Resolute	—	1155-05-68-2	1155-05-68-4	1155-04-68-9	滾珠軸承 Ball Bearing			
	70kgs (154lbs)		經典超級人造膠 TPR on PP Core	—	1155-05-75-2	1155-05-75-4	1155-05-75-9	中管 Plain Bearing			
	70kgs (154lbs)		經典超級人造膠 TPR on PP Core	—	1155-05-75-2	1155-05-75-4	1155-05-75-9	中管(無防塵蓋) Plain Bearing			
	100kgs (220lbs)		全效輪 Resolute	—	1155-05-68-2	1155-05-68-4	1155-04-68-9	滾珠軸承 Ball Bearing			
	90kgs (198lbs)		經典全效輪 Resolute	—	1155-05-68-2	1155-05-68-4	1155-04-68-9	滾珠軸承 Ball Bearing			
	100kgs (220lbs)		導電輪 E-conductive	—	1155-05-17-2	1155-05-17-4	1155-04-17-9	滾珠軸承 Ball Bearing			
	100kgs (220lbs)		超級人造膠 TPR on PP Core	—	1155-05-75-2	1155-05-75-4	1155-04-75-9	滾珠軸承 Ball Bearing 中管 Plain Bearing			
	90kgs (198lbs)		經典超級人造膠 TPR on PP Core	—	1155-05-75-2	1155-05-75-4	1155-04-75-9	滾珠軸承 Ball Bearing 中管 Plain Bearing			
	90kgs (198lbs)		經典超級人造膠 TPR on PP Core	—	1155-05-75-2	1155-05-75-4	1155-05-75-9	中管(無防塵蓋) Plain Bearing			
	100kgs (220lbs)		鋁芯AQP QPU on AL Core	—	1155-05-87-2	1155-05-87-4	1155-04-87-9	滾珠軸承 Ball Bearing			
	90kgs (198lbs)		超級人造膠(大圓弧) TPR on PP Core(Dount)	—	1155-05-110-2	1155-05-110-4	1155-04-110-9	滾珠軸承 Ball Bearing			
	100kgs (220lbs)		全效輪(大圓弧) Resolute(Dount)	—	1155-05-111-2	1155-05-111-4	1155-04-111-9	滾珠軸承 Ball Bearing			

